



Product Name: EuroChem GA4&7 Plant Growth Regulator
APVMA Approval No: 85191/127345

Label Name:	EuroChem GA4&7 Plant Growth Regulator
-------------	---------------------------------------

Signal Headings:	READ SAFETY DIRECTIONS BEFORE OPENING OR USING
------------------	--

Constituent Statements:	20 g/L GIBBERELLIN A4 AND GIBBERELLIN A7
-------------------------	--

Mode of Action:	
-----------------	--

Statement of Claims:	Can improve fruit shape/typiness in apples and for the promotion of lateral growth in cherries when used in combination with EuroChem 6-BA Plant Growth Regulator, as per the Directions for Use table
----------------------	--

Net Contents:	1 L 2.5 L 5 L 500 mL
---------------	-------------------------------

Restraints:	DO NOT apply if rain is likely within 6 hours. DO NOT apply after rain until flower parts are free of droplets. DO NOT apply when air temperature is less than 7oC or greater than 32oC. DO NOT apply in combination with other growth regulators or pesticides, EXCEPT EuroChem 6-BA Plant Growth Regulator as per label instructions and Directions for Use. DO NOT apply on trees that are stressed by disease or other factors.
-------------	---

Directions for Use:	This section contains file attachment. File Name: EuroChem GA4&7 Plant Growth Regulator Directions For Use.docx File Size: 14237 bytes
---------------------	--

Other Limitations:	
--------------------	--

Withholding Periods:	WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.
----------------------	---

Trade Advice:	
---------------	--

General Instructions:	GENERAL INSTRUCTIONS The term “improvement of fruit shape” generally refers to a longer apple or an increased length/diameter ratio. In certain varieties (i.e. Red Delicious) this is known as “typiness”. MIXING AND APPLICATION This liquid product mixes easily with water. For improvement of typiness and shape best results are achieved using 900 to 1200 L/ha water (depending on tree size), together with a non-ionic wetter at the recommended rates. Add the required amount to a clean spray tank about half filled with water. Agitate while bringing the total volume of the water to the required level. Use the spray solution within 24 hours after mixing. COMPATIBILITY The addition of a non-ionic wetting agent at recommended rates will enhance results. DO NOT use other pesticides until spray deposits are dry. DO NOT use another thinner unless recommended.
-----------------------	--

Resistance Warning:	
---------------------	--

Precautions:	
--------------	--

Protections:	PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops or pastures. DO NOT apply more than 1,800 L of spray solution per ha. DO NOT apply NAA after application of this product. DO NOT apply a specific thinner until sure of fruit set following application of this product. If sprayed to run-off, fruit shape distortion, foliage damage and over-shining may result. PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT DO NOT contaminate streams, rivers or watercourses with the chemical or used containers.
--------------	--

Storage and Disposal:	Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.
-----------------------	--

Safety Directions:	Harmful if swallowed. Will irritate the eyes and skin. Avoid contact with eyes and skin. When opening the container and preparing product for use wear cotton overalls button to the neck and wrist and washable hat, elbow-length PVC gloves and face shield or goggles.
--------------------	--

	When using the prepared spray wear cotton overalls buttoned to the neck and wrist and washable hat and elbow-length PVC gloves. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield or goggles and contaminated clothing.
--	--

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766.
-------------------------	---

First Aid Warnings:	
---------------------	--

DIRECTIONS FOR USE

CROP	USE	TIMING	RATE	CRITICAL COMMENTS
Apples	For the improvement of fruit shape and increase in fruit size	Apply at 90% king bloom	119mL /100 L water plus EuroChem 6-BA at 119mL /100L	Single application only. In regions or seasons where the bloom period may be extended, a split application is recommended.
		Apply first application at 50% king bloom and second application at 90% king bloom.	62mL /100L water plus EuroChem 6-BA at 62mL /100L	Split application. Use in regions or seasons where the bloom period is extended.
Cherries	Stimulation of lateral growth on non-bearing trees	Apply between budswell and budburst. Apply to trees just after planting or in young non-bearing trees in the following year – still at least one year before trees start to bear fruit.	24mL plus 24mL of EuroChem 6-BA plus 75mL acrylic or latex paint	In a separate container prepare the premix of EuroChem GA4&7 and EuroChem 6-BA and the paint and stir well. Apply this mixture by brush to buds and bark of one year old wood on vigorous trees.

**NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL
UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**