

Product Name: EuroChem SANITEX Horticultural Disinfectant
Approval No: 88875 / 122712



Label Name:	EuroChem SANITEX Horticultural Disinfectant
Signal Headings:	POISON KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING
Constituent Statements:	120 g/L DIDECYLDIMETHYL AMMONIUM CHLORIDE
Mode of Action:	
Statement of Claims:	A broad spectrum disinfectant for use in agriculture and horticulture as specified in the Directions for Use table
Net Contents:	1L , 5L, 10L , 20L, 200L
Restraints:	Use on plant materials: EuroChem SANITEX Horticultural Disinfectant is not a single means of controlling infection. It is not intended to replace the use of fungicides. EuroChem SANITEX Horticultural Disinfectant is compatible with most fungicides and use should be incorporated into a normal spray program.
Directions for Use:	This section contains file attachment.
Other Limitations:	
Withholding Periods:	NIL
Trade Advice:	

General Instructions:	This section contains file attachment.
Resistance Warning:	
Precautions:	
Protections:	PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT: DO NOT contaminate streams, rivers or waterways with the chemical or used containers.
Storage and Disposal:	Store in the closed, original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Triple rinse containers before disposal. Dispose of rinsate or any undiluted chemical according to state/territory legislative requirements. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management is not available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.
Safety Directions:	Harmful if swallowed. Will irritate the skin. Will damage the eyes. Avoid contact with eyes and skin. Do not inhale spray mist. When opening the container, mixing and loading, preparing and using the product, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), a washable hat, chemical resistant gloves and goggles or safety glasses. If product on skin, immediately wash area with soap and water. If product in eyes wash it out immediately with water. Wash hands after use. After each day's use wash gloves, goggles and contaminated clothing.
First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26, New Zealand 0800 764 766. If swallowed, DO NOT induce vomiting. Give a glass of water. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.
First Aid Warnings:	Corrosive. May produce severe burns. Do not enter treated areas or handle the treated material until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each days use.

GENERAL INSTRUCTIONS:

Effective against a range of bacteria pathogens. Stays active as long as it is in solution (does not oxidise). Under heavy agitation, foam may form and a defoaming agent (food grade) may be useful. A test kit is available to measure active **EuroChem SANITEX Horticultural Disinfectant** in water. **EuroChem SANITEX Horticultural Disinfectant** has wetting characteristics, so a wetting agent does not need to be added.

Application:

For foliar application as a plant sanitiser for flowers, good coverage is essential. Ensure that both upper and lower leaf surfaces are covered. Spray to runoff with standard spray application equipment.

Compatibility:

EuroChem SANITEX Horticultural Disinfectant may be used with fertigated water. **Do Not** apply directly via fertiliser tank. **EuroChem SANITEX Horticultural Disinfectant** is compatible with Liquicop® Copper Fungicide and a range of fungicides. Information can be obtained by contacting TGAC Australia Pty Ltd.

DIRECTIONS FOR USE:

SITUATION	RATE	CRITICAL COMMENTS
General disinfection of - growing medium (inert or non - organic), equipment (such as pruning shears & ploughs), footbaths.	100 mL/10 L water (1% solution)	Keep wet with SANITEX solution for over 10 minutes for best results.
General disinfection of - cold rooms, packing sheds, tunnels, seedtrays, other hard surfaces	100 mL/100 L water (0.1% solution)	First remove all organic matter from surfaces and keep wet with SANITEX solution for over 10 minutes for best results.
Disinfection of irrigation water (non-food crops only)	5 - 20mL/1000 L water for continuous dosing	When dosing for the first few times, the dirt/algae/organic matter will be discharged and may clog your drippers, spitters or sprinklers. Therefore, rinse your irrigation pipes frequently. The cleaner the irrigation water to be treated the better the results. May be used in fertigated water. Do Not apply directly via fertiliser tank.
PLANT SANITATION: Carnations, Chrysanthemums, Cut Flowers	100mL/100 L water	Growers are advised to check for varietal differences by first treating a small sample. Apply to foliage with first application after transplanting or 6 weeks after planting seed. Apply at 7 day intervals.
PLANT SANITATION: Roses in green/shade houses	50 mL/100 L water	Growers are advised to check for varietal differences by first treating a small sample. Apply to foliage at 10-14 day intervals.
Post-harvest treatment of Cut Flowers in containers	15 mL/10 L water	The stock solution may be used for up to 7-10 days if kept clean. Do not keep cut flowers in stock solution for longer than 48 hours.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO
THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**