



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name:	EuroChem Feathertop 520 Herbicide
Other means of identification:	Not Applicable
Recommended use of the chemical and restrictions on use:	Agricultural herbicide for use as described on the product label.
Supplier:	Eurochem Pty Ltd
Street address:	9 Heales Rd, Lara, VIC 3212
Telephone no.:	+61 427 453 101
Fax:	Not Available
Website:	www.eurochem.com.au
Emergency telephone:	Poisons Information Centre 13 11 26 (24 hours)

2. HAZARDS IDENTIFICATION

Classification of the substance mixture: This material is classified as hazardous according to the classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition).

Classification of the substance or mixture:

Flammable Liquids Category 4
Acute Toxicity Oral Category 4
Skin Irritation Category 2
Eye Irritation Category 2B
Hazardous to aquatic environment Short term/Chronic Category 1

SIGNAL WORD: WARNING

Hazard Statement(s):

H227: Combustible liquid.
H302: Harmful if swallowed.
H315: Causes skin irritation.
H320: Causes eye irritation.
H410: Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention:

P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P262: Do not get in eyes, on skin, or on clothing.
P264: Wash contacted areas thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P273: Avoid release to the environment.
P280: Wear protective gloves, protective clothing and eye or face protection.

Response:

P362: Take off contaminated clothing and wash before reuse.
P301+P312: IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332+P313: If skin irritation occurs: Get medical advice.
P337+P313: If eye irritation persists: Get medical advice.
P391: Collect spillage.
P370+P378: In case of fire, use carbon dioxide, dry chemical, foam.

Storage:

P410: Protect from sunlight.
P403+P235: Store in a well-ventilated place. Keep cool.

Disposal:

P501: Dispose of contents and containers as specified on the registered label.

PICTOGRAM:


3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion
Haloxyfop (as the P-methyl ester)	72619-32-0	520g/L
Other non-hazardous ingredients	Various	To 100%

4. FIRST AID MEASURES

If poisoning occurs, contact a Poisons Information Centre. Phone Australia 131126; New Zealand 0800 764 766 or a doctor. Have this SDS or the label with you.

Inhalation: Remove the victim to fresh air. Apply artificial respiration. Seek medical attention immediately.

Skin contact: Remove contaminated clothing and wash with plenty of water and soap. If symptoms develop, seek medical attention.

Eye contact: If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes. Seek medical advice. Take special care if exposed person is wearing contact lenses.

Ingestion: If swallowed, wash mouth with water and contact a Poisons Information Centre or call a doctor. Do not induce vomiting.

First aid facilities: Eyewash and normal washroom facilities.

Medical attention and special treatment needed: Treat Symptomatically

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: In case of fire, use carbon dioxide, dry chemical, foam, water fog. Do not use full water jet.

Specific hazards arising from the substance or mixture: Combustible liquid (C1). Flash point 85-95°C.



Special protective equipment and precautions for fire-fighters:

In case of fire and/or explosion do not breathe fumes. Cool containers at risk with water spray jet. If possible, remove containers from endangered area. Wear self-contained breathing apparatus and chemical-protective clothing. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately. Do not allow contaminated water to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. ACCIDENTAL RELEASE MEASURES

**Emergency procedures/
Environmental precautions:**

In the event of a spill, prevent spillage from entering drains or water courses with absorbent material and call emergency services.

**Personal precautions/
Protective equipment:**

Wear full protective clothing including eye/face protection. All skin areas should be covered. It is good practice to wear impermeable gloves when handling chemical products. Provide adequate ventilation. If there is a significant chance that vapours or mists are likely to build up in the clean-up area, we recommend that you use a respirator. Refer to protective equipment as described in Section 8 of this safety data sheet.

Methods and materials for containment and cleaning up:

Contain - prevent run off into drains and waterways. Stop leak if safe to do so and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Because of the environmentally hazardous nature of this product, special care should be taken to restrict release to waterways or drains. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage and dispose of promptly. Recycle containers wherever possible after careful cleaning. Refer to product label for specific instructions. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Full details regarding disposal of used containers, spillage and unused material may be found on the label. If there is any conflict between this SDS and the label, instructions on the label prevail. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

7. HANDLING AND STORAGE

Precautions for safe handling:

Ensure adequate ventilation. Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Keep containers closed at all times - check regularly for leaks or spills. Transport and store upright. Refer to Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under 'Storage' should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Conditions for safe storage, including any incompatibilities:

Note that this product is GHS Flammable Class 4 and therefore, for Storage, meets the definition of Dangerous Goods. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage. Store packages of this product in a cool place. Protect from open fire, heat and direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep away from sources of ignition - No smoking. Keep in a cool, dry and well-ventilated place. Make sure that containers of this product are kept tightly closed. Keep containers dry and away from water. Make sure that the product does not come into contact with substances listed under 'Incompatibilities' in Section 10. Check packaging - there may be further storage instructions on the label.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters: Exposure guidelines have not been established for this product by Safe Work Australia.

Appropriate engineering controls: Use in well ventilated areas. If natural ventilation is inadequate, use of a fan is suggested. Keep containers closed when not in use. Do not breathe vapours/aerosols. Use good personal hygiene practices-wash hands at breaks and when done working with material. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke while working. Avoid contact with skin, eyes and clothes.

Individual protection measures, such as Personal Protective Equipment (PPE):

See container label safety directions. The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Observe good standards of hygiene and cleanliness. Always wash hands, arms and face thoroughly with soap and water before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment with detergent and warm water before storage or re-use.

Respiratory protection: Respiratory protective equipment is not needed under normal and intended conditions of product use. However, if protection is required, Wear suitable protective breathing mask (EN 136) with filter A2-P2 (EN 14387) and consult AS/NZS 1715 and AS/NZS 1716 for further information.

Eye and face protection: Avoid contact with eyes. Eye and face protection is not needed under normal and intended conditions of product use, however safety glasses with side protection should be worn as a general precaution. If protection is required consult AS/NZS 1336 and AS/NZS 1337 for further information. Consult AS/NZS 1336 and AS/NZS 1337 for further information. Safety glasses with side protection (EN 166)

Skin protection: Avoid contact with skin. Elbow-length rubber or chemical resistant gloves must be worn when opening the container and using the product. Always check with the glove manufacturer or your personal protective equipment supplier regarding the correct type of glove to use. Consult AS/NZS 2161 for further information. Trousers, long sleeved shirt /cotton overalls buttoned to the neck and wrist and closed in shoes or safety footwear should also be worn as a general precaution. Consult AS/NZS 2210 and AS/NZS 2919 for further information. People with high-risk exposure, chemical suits (EN ISO 6530:2005) and boots may be required (EN ISO 20345:2012).

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid
Colour:	Dark yellow
Odour:	Characteristic solvent odour
pH:	Not determined
Specific gravity:	1.0-1.2
Melting point/Freezing point:	Not determined
Boiling point/range:	Not determined
Flash point:	85-95°C
Upper Flammability Limit:	Combustible liquid (C1).
Lower Flammability Limit:	Combustible liquid (C1).
Evaporation point:	Not determined
Vapour pressure:	Not determined
Vapour density:	Not determined
Solubility:	Emulsifiable, but not soluble
Partition coefficient: n- octanol/water	Not determined
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not determined
Viscosity:	Not determined

10. STABILITY AND REACTIVITY

Reactivity:	This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf-life properties.
Chemical stability:	Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
Possibility of hazardous reactions:	The product is stable under recommended storage and handling conditions
Conditions to avoid:	Protect this product from light. Store in the closed original container in a dry, cool, well-ventilated area out of direct sunlight.
Incompatible materials:	None known.
Hazardous decomposition products:	Under normal use conditions no hazardous decomposition products are expected. In case of fire/explosion vapours dangerous for health are spread.

11. TOXICOLOGICAL INFORMATION

Toxicity: Acute Toxicity: For Haloxyfop-methyl the oral LD50 is 393 mg/kg for rats. The LD50 is greater than 5,000 mg/kg for rabbits whose skin is exposed to Haloxyfop-methyl. Haloxyfop-ethoxyethyl has an oral LD50 of 518-531 mg/kg for rats. The dermal LD50 is greater than 2000 mg/kg for rats and greater than 5,000 mg/kg for rabbits. Both Haloxyfop forms are non-irritating to skin and do not cause skin sensitization. They are mild eye irritants. The symptoms of toxicity in rats are reduced food intake and reduced food consumption. They may also cause liver and kidney damage.

Chronic Toxicity: No Information Available.

Reproductive Effects: In rats, oral doses of 10 and 50 mg/kg/day of Haloxyfop-ethoxyethyl from days 6 to 16 of pregnancy reduced the number of live offspring per litter and caused vaginal bleeding in the mother.

Teratogenic Effects: Oral doses of 50 mg/kg/day of Haloxyfop-ethoxyethyl in rats between days 6 and 16 of pregnancy caused developmental abnormalities in the offspring's urogenital system and death to the foetus. Oral doses of 7.5 mg/kg/day of Haloxyfop-methyl given to rats from days 6 to 15 of pregnancy caused delayed bone formation in the offspring.

Mutagenic Effects: No information is currently available.

Carcinogenic Effects: Studies show that 0.1 mg/kg/day of Haloxyfop-methyl for two years, the highest dose tested, does not cause cancer in rats. Similarly, 0.6 mg/kg/day for two years, the highest dose tested, is not carcinogenic to mice.

Organ Toxicity: Doses of 100 mg/kg/day of Haloxyfop-methyl caused kidney damage in adult rats. Doses of 0.6 mg/kg/day for 2 years in mice caused reduced body weight gains and increased liver weights in mice. In dogs, 5 mg/kg/day causes a significant decrease in serum cholesterol, as well as a decrease in thyroid weight.

Fate in Humans and Animals: In rats, Haloxyfop-ethoxyethyl undergoes metabolism to Haloxyfop which is excreted in faeces and urine.

12. ECOLOGICAL INFORMATION

Ecotoxicity:	Very toxic to aquatic organisms, may cause long-term adverse effects to the aquatic environment. Effects on Birds: Haloxyfop-methyl and Haloxyfop-ethoxyethyl are practically non-toxic to birds. The oral LD50 is greater than 2,150 mg/kg for mallard ducks. The dietary LC50 (8 day) is greater than 5,620 mg/kg for bobwhite quail. Effects on Aquatic Organisms: Haloxyfop-methyl is practically non-toxic to fish. The LC50 ranges from 96 to greater than 1000 mg/kg. Haloxyfop-ethoxyethyl is moderately to highly toxic to fish. The LC50 (96 hour) is 0.54 mg/L for fathead minnows, 0.28 mg/L for bluegill sunfish, and 1.8 mg/L for rainbow trout. The LC50 (48 hours) for Daphnia is 4.64 mg/L. Effects on Other Animals (Nontarget species): Haloxyfop is not toxic to bees. The contact and oral LD50 (48 hours) is 100 micrograms Haloxyfop/bee. ENVIRONMENTAL FATE
---------------------	---



Breakdown of Chemical in Soil and Groundwater: Haloxyfop-ethoxyethyl is converted to Haloxyfop in soil. The half-life of Haloxyfop-ethoxyethyl is greater than one day on silty clay loam at 20°C. The half-life of Haloxyfop in soil is 55-100 days depending on the soil. Leaching is moderate.

Breakdown of Chemical in Surface Water: The half-life of Haloxyfop in water is 33 days for Haloxyfop at pH 5, 5 days at pH 7, and a few hours at pH 9.

Breakdown of Chemical in Vegetation: No information is currently available.

Persistence/Degradability:

No information available.

Bioaccumulative potential:

No indication of bioaccumulation potential.

Mobility in soil:

No information available

13. DISPOSAL CONSIDERATIONS**Disposal methods:**

Refer to Waste Management Authority. Dispose of contents/container in accordance with local/regional/national/international regulations. Break, crush or puncture and dispose of empty containers in a local authority landfill. Triple rinse and bury rinsate and empty capsules in a local authority landfill. If no landfill is available, bury the containers below 0.5m in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product must not be burnt. Do NOT re-use containers for any other purpose.

14. TRANSPORT INFORMATION

UN Number	Not Applicable
Shipping Name	Not Applicable
Class	Not Applicable
Packaging Group	Not Applicable

15. REGULATORY INFORMATION

Poison schedule S6

(SUSMP):

APVMA/TGA approval no.: 86193

AICS: All the constituents of this material are either listed on the Australian Inventory of Industrial Chemicals (Inventory), not required due to the nature of the chemical, or have been assessed under the Industrial Chemicals Act 2019 as amended.

16. OTHER INFORMATION

General information: None.

Issue number: 002

Issue date: 25/05/2026

In any event, the review and, if necessary, the re-issue of an SDS shall be no longer than 5 years after the last date of issue.

Reason(s) for issue: New SDS

Literary reference: ADG Code - Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)
APVMA – Agricultural Pesticides and Veterinary Medicines Australia
GHS - Globally Harmonised System of Classification and Labelling of Chemicals (3rd revised edition) 2009
Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice
STEL - Short term exposure limit means the average airborne concentration of a substance calculated over a 15-minute period. The STEL should not be exceeded at any time during a normal eight hour working day.



Safety Data Sheet: EuroChem Feathertop 520 Herbicide

Date of Issue: 25 May 2026

SUSMP - Standard for the Uniform Scheduling of Medicines & Poisons

SWA - Safe Work Australia, formerly ASCC and NOHSC

TWA - Time-weighted average means the average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

WHS – Workplace Health and Safety

The physical values and properties described in this SDS are typical values based on scientific literature and material produced to date, and are believed to be reliable. The supplier provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein. The information is supplied upon the condition that the persons receiving information will make their own determination as to the suitability for their purposes prior to use of this product. Due care should be taken to ensure that the use of this product and its disposal is in compliance with all relevant Federal, State and Local Government regulations.

END SDS